



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/501,351	07/14/2004	Seiji Samukawa	SHIG CPTA0502FE	7535
7590 01/30/2009 HAYES SOLOWAY P.C. 3450 E. SUNRISE DRIVE, SUITE 140 TUCSON, AZ 85718			EXAMINER DHINGRA, RAKESH KUMAR	
			ART UNIT 1792	PAPER NUMBER
			MAIL DATE 01/30/2009	DELIVERY MODE PAPER

## NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

7-14-04 & 12-26-06

The drawings filed 7-14-04 & 12-26-06 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 10(e), 10(f) are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 9(e), 9(f) are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

### Return Corrected Drawings/Specification to:

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101  
Application Assistance Unit  
Office of Data Management